

L6 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1997:447331 CAPLUS
DOCUMENT NUMBER: 127:77365
TITLE: Acaricides containing phenyl isothiocyanate
INVENTOR(S): Ishida, Hirohiko; Izumi, Tasuku
PATENT ASSIGNEE(S): Kao Corp., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
JP 09157116	A2	19970617	JP 1995-346872	19951212
PRIORITY APPLN. INFO.:			JP 1995-346872	19951212

- AB The acaricides contain Ph isothiocyanate (I) and optionally perfumes selected from (A) sesquiterpenes, (B) essential oils containing sesquiterpenes, (C) alicyclic compds., and (D) aromatic compds. as pungent odor-masking components. I was mixed with a perfume composition containing **cedrene** 40, cedarwood oil 10, vetiverol 5, caryophyllene 5, and hinoki oil 35 parts at a weight ratio of 1:19 to give an acaricide, which was placed in a container (at 250 mg/50 g culture media) to show 100% **control of ticks** after 4 wk at 22-25° and relative humidity 75-85%. A flooring material was sprayed with the acaricide and left at room temperature for 3 days to show no pungent odor. Formulation examples are given.
- AB The acaricides contain Ph isothiocyanate (I) and optionally perfumes selected from (A) sesquiterpenes, (B) essential oils containing sesquiterpenes, (C) alicyclic compds., and (D) aromatic compds. as pungent odor-masking components. I was mixed with a perfume composition containing **cedrene** 40, cedarwood oil 10, vetiverol 5, caryophyllene 5, and hinoki oil 35 parts at a weight ratio of 1:19 to give an acaricide, which was placed in a container (at 250 mg/50 g culture media) to show 100% **control of ticks** after 4 wk at 22-25° and relative humidity 75-85%. A flooring material was sprayed with the acaricide and left at room temperature for 3 days to show no pungent odor. Formulation examples are given.